

FLOS

F2955000 18K Gold

Guns - Lounge Gun

Designed by Philippe Starck, 2005


Halogen - 250W



Floor lamp providing direct reading and ambient lighting. Body is die cast aluminum with an overmolded polymer coating and gloss 18K gold plated, matte white or matte black finish. Matte black or white plasticized paper shade with an internal gold silkscreened or grey finish. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607002162
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	18K Gold
Cord length (mm)	1500
Net weight (kg)	19.52
Package volume (m3)	0.37
IP internal	20

Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)

Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)

[Bim](#) [↓ ZIP](#)



Schematic light drawing




Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER




NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



- | | | |
|-----|---|----------|
| 01. | Black diffuser | F2965030 |
| 02. | Black E27 lamp holder | RF13750 |
| 03. | Ring nut | RF11919 |
| 04. | Polished gold base | RF27102 |
| 05. | Led rondo' dimmer 220/240v 40-250w 4-100w | RF28045 |
| 06. | Locking key tool | RF13905 |

DOWNLOAD




F2965030
Black diffuser



RF13750
Black E27 lamp holder



RF11919
Ring nut



RF27102
Polished gold base



RF28045
Led rondo' dimmer 220/240v 40-250w 4-100w



RF13905
Locking key tool