

# FLOS

F1367021 Mud

## Smithfield Suspension Pro

Designed by Jasper Morrison, 2009



45W - 2791lm - 2700K - CRI> 95

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700mm.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607014967
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	45
System flux (lm)	2791

### Physical

Colour	Mud
Cord length (mm)	2700
Net weight (kg)	5.8
Package volume (m3)	0.16
IP internal	20



### Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

### Photometric Files

[LDT / IES](#) LDT


### Technical Drawings

[3D](#) ZIP

[Bim](#) ZIP



## Schematic light drawing




## Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	95


## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	200-240
LED voltage Vf (Vdc)	null
Driver	Integrated
Dimming type	Dimmable Push
Batteries inside	No
Charging min time	No

## Ecodesign and Energy Labelling




Replaceable (LED only)  
light source by a  
professional



Replaceable control  
gear by a professional

## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Mud rose assembly                                       | RA3690221 |
| 02. | Kit of 5 or rings                                       | RF05382   |
| 03. | 2,7mt fep/pvc 5x0,75 transparent cable                  | RF29934   |
| 04. | 3 mt steel cable $\varnothing$ 1,2 with 19 winded wires | RF29665   |
| 06. | Methacrylate diffuser                                   | RF19022   |

**DOWNLOAD**



RA3690221  
Mud rose assembly



RF05382  
Kit of 5 or rings



RF29934  
2,7mt fep/pvc 5x0,75 transparent  
cable

FLOS

RF29665  
3 mt steel cable ø1,2 with 19  
winded wires



RF19022  
Methacrylate diffuser