

# FLOS

F0002009 Glossy White


## Skygarden 2

Designed by Marcel Wanders, 2007



Halogen - 205W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy. Upper cable gland and blocking ring nut in black injection-molded PC. Shaped, adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lampholder and fixing support in PPS. Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment. Gray, injection-molded PC rose, painted the same color as the body.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

|                   |                     |
|-------------------|---------------------|
| EAN               | 8059607012895       |
| Mounting          | Suspension          |
| Environments      | Indoor dry location |
| Light Source Type | Bulb                |
| Lamp category     | Halogen             |
| Lamp holders      | E27                 |
| Ilcos             | HSGS                |
| Number of heads   | 1                   |
| Power (W)         | 205                 |

### Physical

|                     |              |
|---------------------|--------------|
| Colour              | Glossy White |
| Cord length (mm)    | 2700         |
| Net weight (kg)     | 29           |
| Package height (mm) | 680          |
| Package width (mm)  | 1120         |
| Package length (mm) | 1120         |
| Package volume (m3) | 0.85         |
| IP internal         | 20           |

### Download

|                                       |                       |
|---------------------------------------|-----------------------|
| <a href="#">Mounting instructions</a> | <a href="#">↓ PDF</a> |
| <a href="#">Spare Parts</a>           | <a href="#">↓ PDF</a> |

### Photometric Files

|                           |                       |
|---------------------------|-----------------------|
| <a href="#">LDT / IES</a> | <a href="#">↓ LDT</a> |
|---------------------------|-----------------------|


### Technical Drawings

|                     |                       |
|---------------------|-----------------------|
| <a href="#">2D</a>  | <a href="#">↓ ZIP</a> |
| <a href="#">3D</a>  | <a href="#">↓ ZIP</a> |
| <a href="#">Bim</a> | <a href="#">↓ ZIP</a> |



|    |
|----|
| IP |
| 20 |

## Schematic light drawing



Beam Angle: 118°

| h(m) | E(lx) | D(m)  |
|------|-------|-------|
| 1    | 729   | 3.36  |
| 2    | 182   | 6.72  |
| 3    | 81    | 10.08 |
| 4    | 46    | 13.44 |
| 5    | 29    | 16.79 |

Luminous flux luminaire  
4210 lm

## Photometric

|                    |           |
|--------------------|-----------|
| Lighting type      | Direct    |
| Light distribution | Symmetric |

## Electrical

|                      |  |
|----------------------|--|
| Insulation class     | I  |
| Frequency (Hz)       | 50/60                                    |
| Main voltage (Vac)   | 220-250                                  |
| LED voltage Vf (Vdc) | null                                     |
| Dimmable             | Yes                                      |
| Dimming interface    | Remote Dimmable<br>(Dimmer Not Included) |
| Batteries inside     | No                                       |
| Charging min time    | No                                       |

## Bulbs




NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K

Dimmable

## Spare Parts



- |     |                             |           |
|-----|-----------------------------|-----------|
| 01. | White ceiling rose assembly | RF6420209 |
| 02. | Glass diffuser assembly     | RF6420100 |
| 03. | Kit of 5 or rings           | RF05382   |

**DOWNLOAD**



RF6420209

White ceiling rose assembly



RF6420100

Glass diffuser assembly



RF05382

Kit of 5 or rings