

# FLOS

■ F0002031 Black


## Skygarden 2

Designed by Marcel Wanders, 2007



Halogen - 205W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy. Upper cable gland and blocking ring nut in black injection-molded PC. Shaped, adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lampholder and fixing support in PPS. Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment. Gray, injection-molded PC rose, painted the same color as the body.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607012918
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	205

### Physical

Colour	Black
Cord length (mm)	2700
Net weight (kg)	29
Package volume (m3)	0.85
IP internal	20

### Download

<a href="#">Mounting instructions</a>	<a href="#">↓ PDF</a>
<a href="#">Spare Parts</a>	<a href="#">↓ PDF</a>

### Photometric Files

<a href="#">LDT / IES</a>	<a href="#">↓ LDT</a>
---------------------------	-----------------------


### Technical Drawings

<a href="#">2D</a>	<a href="#">↓ ZIP</a>
<a href="#">3D</a>	<a href="#">↓ ZIP</a>
<a href="#">Bim</a>	<a href="#">↓ ZIP</a>



IP
20

## Schematic light drawing



Beam Angle: 118°

h(m)	E(lx)	D(m)
1	729	3.36
2	182	6.72
3	81	10.08
4	46	13.44
5	29	16.79

Luminous flux luminaire  
4210 lm

## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

## Bulbs




NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K

Dimmable

## Spare Parts



- |     |                                  |           |
|-----|----------------------------------|-----------|
| 01. | Opal black ceiling rose assembly | RF6420331 |
| 02. | Glass diffuser assembly          | RF6420100 |
| 03. | Kit of 5 or rings                | RF05382   |

**DOWNLOAD**



RF6420331

Opal black ceiling rose assembly



RF6420100

Glass diffuser assembly



RF05382

Kit of 5 or rings